





DIRTT EXPERIENCE CENTER
 Calgary, AB

Want to tailor storage to your exact needs without paying extra for customization or complexity? DIRTT Casework offers the best of both worlds. Get precision-manufactured casework with the predictable lead times of DIRTT. Maximize your space with parametric designs that deliver cabinets and storage precisely sized to fit your space. Our large-scale manufacturing ensures consistency over time and across your projects. And whether it's for a workplace, healthcare, education, or public sector project, DIRTT casework arrives assembled, reducing installation time on-site.



SYSTEM FEATURES

- 01**
Use DIRT Casework to create lockers, credenzas, base and upper cabinets, open shelving, and tall storage
- 02**
Choose from free-standing or wall-mounted designs or integrate directly into DIRT Solid Walls
- 03**
Manufactured with robust substrate and high-quality pulls, hinges, and slide options
- 04**
Unique toe-kick design with built-in adjustability saves you install time/delete period

01



02



02



04



SYSTEM OPTIONS

- 05**
Integrated LED lighting
- File bar hardware
- Glove box and paper towel storage
- Work surfaces

Casework

SIZE

Cabinet cases manufactured with 3/4"-thick material

Drawer box components manufactured with 5/8"-thick material



BASE CABINETS

Width minimum	10 1/4" (260 mm)
Width maximum	24" (610 mm) single door 39" (991 mm) double doors 42" (1.67 m) double doors with mullion
	36" (914 mm) drawers
Depth minimum	13 1/8" (332 mm) door units 13 1/2" (343 mm) drawer units
Depth maximum	30" (762 mm)
Height	12" (305 mm) - 54" (1.37 m)
Design configuration	Door units Open units Drawer units Door and drawer combination units



UPPER CABINETS

Width minimum	10 1/4" (260 mm)
Width maximum	24" (610 mm) single door 39" (991 mm) double doors 42" (1.67 m) double doors with mullion
Depth	7" (178 mm) - 30" (762 mm)
Height	12" (305 mm) - 72" (1.83 m)
Design configuration	Door units Open units



Casework

TALL STORAGE CABINETS

Width minimum	10 ¼" (260 mm)
Width maximum	24" (610 mm) single door 39" (991 mm) double doors 42" (1.67 m) double doors with mullion
	36" (914 mm) drawers
Depth	7" (178 mm) - 30" (762 mm)
Height	12" (305 mm) - 96" (2.44 m)
Design configuration	Door units Open units Drawer units Door and drawer combination units



STACKING SOFFITS

Width	8 ½" (206 mm) - 96" (2.44 m)
Depth	8 ¾" (222 mm) - 30" (762 mm)
Height	5" (127 mm) - 96" (2.44 m)



WALL-HANGING SOFFITS

Width	16" (406 mm) - 96" (2.44 m)
Depth	10" (254 mm) - 24" (610 mm)
Height	6" (152 mm) - 24" (610 mm)



Casework

FINISH OPTIONS

Chromacoat (paint)

Themofoil (3D laminate)

Wood Veneer

Backpainted Glass

DIRTT SYSTEM INTEGRATIONS

DIRTT Solid Walls

Third-party provided hardware and technology

